



Sieve Analysis Data Collection Form
ASTM F2075-15 per Section 4.4 and Section 7

TUV SUD America, Inc
1755 Atlantic Blvd.
Auburn Hills, MI 48326
Ph: (616) 546-4600

Customer/Participant:

Test Date:

Main Office Address:

Project No.:

(City, State, Zip)

Ambient Air Temp.: °C

Location ID:

Relative Humidity: %

Commercial Name of Product:

Test Equipment Used

Table with 4 columns: TUV Asset No., Equipment Type, Manufacturer, Model. Rows include Environmental Chamber, Data Logger, Hygro-thermometer, Test Sieve, Sieve Shaker, and Balance.

Data

Initial Sample and Container Weight

Tare weight of Container

Initial Sample Dry Weight (g)

Sample and Container Weight for 3/4" Sieve

Tare weight of Container

Sample Remaining on 3/4" Sieve (g)

Sample and Container Weight for 3/8" Sieve

Tare weight of Container

Sample Remaining on 3/8" Sieve (g)

Sample and Container Weight for #16 Sieve

Tare weight of Container

Material Remaining on # 16 Sieve (g)

Table with 3 columns: Sieve Size, Min / Max Requirements, % Passing. Rows for 3/4" (19.05 mm), 3/8" (9.53 mm), and No. 16 (0.0469 in.).

Sample in compliance with ASTM F2075-15 for Sieve Analysis Section 4.4 per 7.4

Yes

No

Tare weights of containers verified prior to testing.

Note: Testing performed at TÜV SÜD America in Auburn Hills, MI.

Performed By: [Signature]

Title: \_\_\_\_\_

Date: \_\_\_\_\_

Reviewed By: [Signature]

Title: \_\_\_\_\_

Date: \_\_\_\_\_

The results reported herein reflect the performance of the above described samples at the time of testing and at the temperature(s) reported. The results are specific to the described samples. Samples of surfacing materials that do not closely match the described samples will perform differently. The following data sheet provides an accurate representation of the test results.